

SOLHYDCOAT FSC-PART A**SECTION 1. IDENTIFICATION**

| | |
|---|--|
| Product Identifier | SOLHYDCOAT FSC-PART A |
| Other Means of Identification | SOL-COAT-FSC-A |
| Product Family | Résine Epoxy Revêtement-Partie A |
| Recommended Use | Epoxy Resin for Epoxy coating system. |
| Restrictions on Use | Use with Part B (Hardener) of this product. |
| Manufacturer/Supplier Identifier | BMQ SOLUTIONS, 1522 Boulevard des Laurentides, Laval, Qc, H7M 2N7, Marc Charlebois, 877-267-7249, www.lafarge.ca/en/bmq-solutions |
| Supplier Identifier | BMQ SOLUTIONS, 1522 Boulevard des Laurentides, Laval, Qc, H7M 2N7, Marc Charlebois, 877-267-7249, www.lafarge.ca/en/bmq-solutions |
| Emergency Phone No. | Marc Charlebois, 514-705-7198, 24 Heures / 7 Jours CANUTEC, 613-996-6666, 24HR/7Jours |
| SDS No. | 0197 |

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Acute toxicity (Dermal) - Category 5

Label Elements

Danger

Hazard Statement(s):

Causes skin irritation.

Causes eye irritation.

Precautionary Statement(s):

Prevention:

Avoid breathing dust/fume/gas/mist/vapours/spray.

In case of inadequate ventilation wear respiratory protection (NIOSH approved air-purifying respirator with an organic vapour cartridge).

Wash hands thoroughly after handling.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice or attention.

IF ON SKIN: Wash with plenty of water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal:

Product Identifier: SOLHYDCOAT FSC-PART A

SDS No.: 0197

Date of Preparation: mai 16, 2016

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

May be a health hazard in confined spaces.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

| Chemical Name | CAS No. | % | Other Identifiers |
|---|------------|-----|-------------------|
| Oxirane, 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer | 25085-99-8 | >78 | |
| Alkyl Glycidyl Ether | 68609-97-2 | >11 | |
| Benzyl alcohol | 100-51-6 | >8 | |

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If skin irritation or a rash occurs, get medical advice or attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If eye irritation persists, get medical advice or attention.

Ingestion

DO NOT INDUCE VOMITING get medical advice or attention if you feel unwell or are concerned. Have victim drink water or milk, if conscious.

First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

Most Important Symptoms and Effects, Acute and Delayed

If in eyes: can cause effects as described for skin contact. The vapour also irritates or burns the eyes. Permanent damage including blindness can result. If on skin: repeated or prolonged exposure can irritate the skin. If inhaled: may cause moderate to severe irritation.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin, respiratory system, digestive system.

Special Instructions

Not applicable.

Medical Conditions Aggravated by Exposure

Respiratory conditions, asthma, nervous system conditions, eye conditions. May cause skin sensitization.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use water to keep non-leaking, fire-exposed containers cool. Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

Not applicable.

Specific Hazards Arising from the Product

May accumulate in hazardous amounts at ceilings and at the top of confined spaces, resulting in a health hazard.

Product Identifier: SOLHYDCOAT FSC-PART A

SDS No.: 0197

Date of Preparation: mai 16, 2016

Closed containers may rupture violently when heated releasing contents.
In a fire, the following hazardous materials may be generated: very toxic carbon monoxide, carbon dioxide; corrosive phenols. complex hydrocarbons and aerosols.

Special Protective Equipment and Precautions for Fire-fighters

Approach fire from upwind to avoid hazardous vapours or gases. Fight fire from a safe distance or a protected location. Wear full Bunker gear and respiratory protection (SCBA).
Fire-fighters should enter area wearing specialized protective equipment. (Bunker Gear will not provide adequate protection.).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel.

Environmental Precautions

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Minimize the use of water to prevent environmental contamination.

Methods and Materials for Containment and Cleaning Up

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Large spills or leaks: contaminated absorbent poses the same hazard as the spilled product. Dike spilled product to prevent runoff. Do not direct water at spill or source. Contain and soak up spill with absorbent that does not react with spilled product. Review Section 13 (Disposal Considerations) of this safety data sheet. Place used absorbent into suitable, covered, labelled containers for disposal.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin or on clothing. Wear personal protective equipment to avoid direct contact with this chemical. Avoid generating vapours or mists. Do not swallow. Wash hands thoroughly after handling this material. Use adequate ventilation and employ respiratory protection where dust or fumes may be generated avoid breathing in this product. Do NOT work alone with this product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not carry or transfer this product in an enclosed space (e.g. in an elevator or inside a vehicle). Do not puncture or incinerate container even when empty.

Conditions for Safe Storage

Store in an area that is: cool, ventilated. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| Chemical Name | ACGIH TLV® | | OSHA PEL | | AIHA WEEL | |
|----------------|------------|------|----------|---------|-----------|-----|
| | TWA | STEL | TWA | Ceiling | 8-hr TWA | TWA |
| Benzyl alcohol | 10 ppm | | | | | |

ACGIH® = American Conference of Governmental Industrial Hygienists. A4 = Not classifiable as a human carcinogen.
IARC - Classifies an Ingredient (Titanium Dioxide) as being a possible carcinogen to humans -In it's powdered form.

Appropriate Engineering Controls

Use local exhaust ventilation and enclosure, if necessary, to control amount in the air. Breathing Vapours must be avoided. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Product Identifier: SOLHYDCOAT FSC-PART A
SDS No.: 0197
Date of Preparation: mai 16, 2016

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Wear a NIOSH approved air-purifying respirator with an organic vapour cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

| | |
|--|--|
| Appearance | Clear rainbow-like liquid. Particle Size: Not applicable |
| Odour | Aromatic |
| Odour Threshold | Not available |
| pH | Not applicable |
| Melting Point/Freezing Point | Not applicable (melting); Not applicable (freezing) |
| Initial Boiling Point/Range | Not available |
| Flash Point | > 120 °C (248 °F) (closed cup) (estimated) |
| Evaporation Rate | Not available |
| Flammability (solid, gas) | Not available |
| Upper/Lower Flammability or Explosive Limit | Not available (upper); Not available (lower) |
| Vapour Pressure | Not available |
| Vapour Density (air = 1) | Not available |
| Relative Density (water = 1) | 1.12 - 1.55 |
| Solubility | Not available in water; Not available (in other liquids) |
| Partition Coefficient, n-Octanol/Water (Log Kow) | Not available |
| Auto-ignition Temperature | Not available |
| Decomposition Temperature | Not available |
| Viscosity | Not available (kinematic) |
| Other Information | |
| Physical State | Liquid |

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Controlled polymerizations when mixed with the part B of this material.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

Reacts in the presence of heat. Releases a large amount of pressure. See "Hazardous Decomposition Products".

Conditions to Avoid

Prolonged exposure to high temperatures. Incompatible materials. Alkaline conditions (high pH). Avoid contact with strong acids, oxidizers and transitional mineral salts. Temperatures above 45.0 °C (113.0 °F)

Incompatible Materials

Oxidizing agents (e.g. peroxides), strong acids (e.g. hydrochloric acid), strong bases (e.g. sodium hydroxide). Fluorine, and fluorine compounds.

Hazardous Decomposition Products

When exposed to very high temperatures will release very toxic carbon monoxide, carbon dioxide; corrosive phenols.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Eye contact; skin contact; inhalation; ingestion.

Product Identifier: SOLHYDCOAT FSC-PART A
SDS No.: 0197
Date of Preparation: mai 16, 2016

Acute Toxicity

| Chemical Name | LC50 | LD50 (oral) | LD50 (dermal) |
|---|--|--------------------|----------------------|
| Oxirane, 2, 2'-[(1-methylethylidene)bis (4, 1-phenyleneoxymethylene)] bis-, homopolymer | | > 5000 mg/kg (rat) | 20000 mg/kg (rabbit) |
| Alkyl Glycidyl Ether | | 19.2 mg/L (rat) | |
| Benzyl alcohol | > 1000 mg/L (rat) (4-hour exposure) (vapour) | 1360 mg/kg (mouse) | 2000 mg/kg (rabbit) |

LC50: Not applicable.

LD50 (oral): Not applicable.

LD50 (dermal): Not applicable.

Skin Corrosion/Irritation

May cause mild irritation based on information for closely related chemicals. Repeated or prolonged exposure can irritate or burn the skin.

Serious Eye Damage/Irritation

Symptoms include sore, red eyes, and tearing. May cause cornea damage or blindness.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May be harmful nose and throat irritation.

Skin Absorption

May be harmful Symptoms may include redness, rash, swelling and itching.

Ingestion

May be harmful based on limited evidence.

Aspiration Hazard

Not known to be an aspiration hazard.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

Respiratory and/or Skin Sensitization

May cause an allergic reaction (skin sensitization) based on limited evidence.

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists.

Reproductive Toxicity

Development of Offspring

No information was located.

Sexual Function and Fertility

Does not cause effects on sexual function or fertility.

Effects on or via Lactation

No information was located.

No information was located for: Aspiration Hazard, STOT (Specific Target Organ Toxicity) - Repeated Exposure, Development of Offspring, Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

May cause long lasting harmful effects to aquatic life, for the product itself.

Acute Aquatic Toxicity

| Chemical Name | LC50 Fish | EC50 Crustacea | ErC50 Aquatic Plants | ErC50 Algae |
|----------------|-------------------|----------------|----------------------|-------------|
| Benzyl alcohol | 10 mg/L (Lepomis) | | | |

Product Identifier: SOLHYDCOAT FSC-PART A

SDS No.: 0197

Date of Preparation: mai 16, 2016

| | | | |
|------------------------------------|--|--|--|
| macrochirus (bluegill); 96-hour | | | |
|------------------------------------|--|--|--|

Persistence and Degradability

No ingredient of this product or its degradation products is known to be highly persistent.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal Methods**

This product and its container must be disposed of as hazardous waste. Do NOT dump into any sewers, on the ground or into any body of water. The required hazard evaluation of the waste and compliance with the applicable hazardous waste laws are the responsibility of the user.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, Health and Environmental Regulations**

All Ingredients are included on DSL(inventory).

Canada**Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)**

All ingredients are listed on the DSL or are not required to be listed.

SECTION 16. OTHER INFORMATION

| | |
|------------------------------|--|
| NFPA Rating | Health - 2 Flammability - 2 Based on Xylene (mixed isomers) |
| SDS Prepared By | BMQ SOLUTIONS |
| Phone No. | 877-267-7249 |
| Date of Preparation | mai 16, 2016 |
| Date of Last Revision | juin 30, 2016 |
| Key to Abbreviations | NIOSH = National Institute for Occupational Safety and Health OSHA = US Occupational Safety and Health Administration IARC = International Agency for Research on Cancer ACGIH® = American Conference of Governmental Industrial Hygienists |
| References | CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). |
| Disclaimer | We declare the information contained herein are correct. However, we decline all responsibility as to the exactness and the usage of the later. |

Product Identifier: SOLHYDCOAT FSC-PART A

SDS No.: 0197

Date of Preparation: mai 16, 2016

Page 06 of 06